




FITMENT INSTRUCTIONS


Ladder Extension

Installation Instructions





NOTE: The telescopic ladder must be fully locked in it's extended position for this bracket to work correctly. The ladder must be grounded, taking the weight of the user. The ladder must not have the weight **HANGING** on the bracket



Installation Instructions



- 1 Place the ladder extension against the ladder bracket



- 2 Be sure to place the extension to fit in between the bolts holding the bracket to the tent. Then slide the extension to the right so the pins move into the holes and move the antiluce to the lock position.



Antiluce

Installation Instructions


3

NOTE: Remove plastic nut-cap from the bracket attached to the ladder



4

Repeat the same actions as before to mount the ladder to the extension



NOTE: The telescopic ladder must be fully locked in it's extended position for this bracket to work correctly. The ladder must be grounded, taking the weight of the user. The ladder must not have the weight **HANGING** on the bracket

Disclaimer

All rights reserved. No part of this website may be reproduced, translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the owner.

Review all instructions information carefully before installation.

Any damages, direct or incidental to the installer and/or property due to incorrect installation of any parts are the responsibility of the installer. Due to the various applications and fitment options available, the responsibility lies with the user to ensure all mounting points are secure and tight before every trip.

If unsure, consult with your Distributor regarding the operations of our products.

Users are advised to be mindful of the load they are carrying and drive in accordance with road conditions.

WARNING

Always wear appropriate PPE (Personal protection equipment) when fitting our products. Although the mounting kit is designed to be DIY, if you have any doubts or concerns, contact an accredited fitment centre to carry out the work. Alu-Cab will not be liable for any injury to persons, and/or damage to products and/or vehicles.

While Alu-Cab Holdings takes reasonable measures to ensure that the contents of this Website are accurate and complete, Alu-Cab Holdings makes no representations or warranties, whether express or implied, as to the quality, timeliness, operation, integrity, availability or functionality of this Website or as to the accuracy, completeness or reliability of any information on this Website. Alu-Cab Holdings reserves the right to make changes, corrections and/or improvements to the information and to the products and programs described in such information, at any time without notice.

Alu-Cab Holdings will use reasonable endeavours to maintain the availability of the Website, except during scheduled maintenance periods, and reserves the right to discontinue providing the Website or the service or any part thereof with or without notice to you. Any person who accesses this Website or relies on this Website or on the information contained in this Website does so at his or her own risk.

Occasionally, at our discretion, we may include or offer third-party products or services on our website. These third-party sites have separate and independent privacy policies. We therefore have no responsibility or liability for the content and activities of these linked sites. Nonetheless, we seek to protect the integrity of our site and welcome any feedback about these sites.